

EPA PUBLIC NOTICE

U.S. Environmental Protection Agency Reviews Cleanup at the Circuitron Corporation Superfund Site

The U.S. Environmental Protection Agency (EPA) is conducting its fourth five-year review of the **Circuitron Corporation Superfund site**, located in East Farmingdale, Suffolk County, New York. This review seeks to confirm the remedies selected by EPA in the 1991 and 1994 Record of Decisions (RODs) are protective of human health. The selected remedy consists of the following components:

- Operation of the groundwater pump and treat system.
- Mitigate the off-site migration of the site-related contaminated groundwater.
- Long-term groundwater monitoring.
- Operation of the Soil Vapor Extraction system to remove VOC contamination from soil in the southwest corner of the property.

A summary of the five-year review activities and an evaluation of the long-term protectiveness of the remedy will be included in the upcoming five-year review report. **The report is scheduled to be completed by December 2019.**

What is an EPA Five-Year Review?

EPA inspects Superfund sites every five years to ensure that cleanups conducted remain fully protective of human health and the environment. These regular reviews, which are required by federal law when contaminants remain at a site, include:

- Inspection of the site and cleanup technologies;
- Review of monitoring data, operating data, and maintenance records; and,
- Determination if any new regulatory requirements have been established since EPA's original cleanup decision was finalized.

For more information

There are several ways to review information on this site. The Administrative Record, which includes EPA decision documents used for selecting the cleanup remedy, is available for public review at the information repository listed below. Project information is also available online at the website noted below.

**EPA Region 2
Superfund Records Center
290 Broadway, 18th Floor
New York, New York 10007
(212) 637-4308 (call to make an appointment)**

**Farmingdale Public Library
116 Merritts Road
Farmingdale, New York
(516) 249-9090**

You may also contact

If you have any questions or concerns about the site, please contact:

Mark Dannenberg
EPA Remedial Project Manager
Phone: (212) 637-4251
Email: dannenberg.mark@epa.gov

Cecilia Echols
EPA Community Involvement Coordinator
Phone: (212) 637-3678
Email: echols.cecilia@epa.gov

For more information, visit:

www.epa.gov/superfund/circuitron